




ELEMENT		COMPLIES (or NA)	DOES NOT COMPLY
STORAGE			
APPLICABLE	If fixed or built-in facilities such as cabinets, shelves, closets, drawers etc. are provided, at least 1 of each type shall comply with this section. A minimum of 5% of each type of storage unit shall be accessible. (JAC requirement)	<input type="checkbox"/>	<input type="checkbox"/>
STORAGE	Clear floor space (30" wide x 48" deep that allows for parallel or perpendicular approach)	<input type="checkbox"/>	<input type="checkbox"/>
Clear floor space			
REACH RANGE	Reach range (15 – 48" forward reach; 9 – 54" side reach, max. 10" deep)	<input type="checkbox"/>	<input type="checkbox"/>
Reach range			
Reach range	Reach range over obstruction (< 20" deep obstruction w/ knee space, 48" AFF max. forward; 20-25" deep obstruction w/ knee space, 44" AFF max. forward reach; < 10" deep obstruction, 34" high obstruction, 54" max. side; 10-24" deep, 34" high obstruction, 46" AFF max. side reach)	<input type="checkbox"/>	<input type="checkbox"/>
Reach range			
	Closet rods or shelves (max. 54" AFF side reach, < 10" deep)	<input type="checkbox"/>	<input type="checkbox"/>
	Closet rods (max. 48" AFF, 10" - 21" deep)	<input type="checkbox"/>	<input type="checkbox"/>
	Closet shelves (9" – 48", 10" - 21" deep)	<input type="checkbox"/>	<input type="checkbox"/>
	Hardware (operable with one hand without tight pinching, twisting, or turning of wrist; max. 5# of force)	<input type="checkbox"/>	<input type="checkbox"/>
	Self storage display shelves in business uses (exempt from reach ranges)		